



FEEDBACK 2011

Annex 5 : Missing data evaluation

Version 1.0
(21/02/2012)

PERCENTAGE OF MISSING DATA SINCE 2008 IN THE PROCARE DATABASE

Variables	2008 (n=1249)	2009 (n=2439)	2010 (n=3328)	2011 (n=4583)	n miss 2011	Delta (2011-2010)
Documented distance	-	7,3	9,6	12,5	573	2,9
Tumour clinical stage	9,8	12,5	11,7	13,9	637	2,2
Date of biopsy or 1st consult*	15,5	12,4	10,1	12,6	576	2,5
Date 1st irradiation	10,9	13,7	11,3	16,7	432	5,4
Date last irradiation	12,4	14,8	12,5	17,9	463	5,4
Number of fractions	12,8	13,2	11,1	15,6	403	4,5
Total dose	14,4	18	13,4	16,9	437	3,5
Radiation compliance	18,7	14,5	13,2	15,9	411	2,7
Concomitant Chemo	11,8	11,7	5,6	4,2	108	-1,4
Mode of surgery	1,8	3,3	3,7	6,2	252	2,5
Data on approach for radical resec	0,5	0,5	1	4	161	3
Data on approach for reconstruction			2,1	5,2	210	3,1
Perforation of rectum	4,7	1,6	2,3	5	202	2,7
R status	8,8	10,3	0,5	0,5	20	0
(y)pCRM	29,9	33,3	27,3	28	994	0,7
Technique of resection		1,7	1,2	0	0	-1,2
Type of reconstruction	1	6,6	5,5	5,4	206	-0,1
Technique of anastomosis	0,9	4,3	2,7	2,2	18	-0,5
Stoma PME	-	-	2	0,4	3	-1,6
Stoma TME		0	0,8	0,2	4	-0,6
ASA	14,9	11	10,4	11,4	457	1
Date of discharge	5,5	3,4	4,2	6,7	264	2,5
Length of distal margin		17,4	14	16	439	2
(y)pT	7,4	7,6	5,7	7,5	300	1,8
(y)pN	9,7	8,3	5,8	7,3	294	1,5
(y)pStage	19,5	7,6	5,3	6,8	273	1,5
Adj chemo for (y)pStage III,R0	-	-	95	94,2	694	-0,8
Adj chemo for (y)pStage II-III,R0	-	-	68,5	93,7	1399	25,2

Delta is defined as the difference between missing data in 2011 and 2010.

Red color: Variables with more than 10% of missing data or with delta > 3%.

CENTRE RESULT:

Centre evaluation is available for all centre with at least 50 patients registered in the PROCARE database.

To obtain your evaluation, you could contact the Belgian Cancer Registry:

david.jegou@registreducancer.org